

SAFETY DATA SHEET

according to 29 CFR 1910.1200 and GHS

Page 1/8

AccuClean® Advanced

Revision 0
Revision date 2017-10-23

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	AccuClean® Advanced
Product code	9960

1.3. Details of the supplier of the safety data sheet

Company	Neogen Corporation
Address	620 Leshar Place Lansing MI 48912 USA
Web	www.neogen.com
Telephone	517-372-9200/800-234-5333
Email	regulatorysupport@neogen.com

1.4. Emergency telephone number


Emergency telephone number	1-800-234-5333
----------------------------	----------------

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - GHS	Skin Corr. 1A: H314;
-----------------------------	----------------------

2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.
Precautionary Statement: Prevention	P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

Other hazards	No data is available on this product.
---------------	---------------------------------------

AccuClean® Advanced

Revision 0
Revision date 2017-10-23**SECTION 3: Composition/information on ingredients****3.2. Mixtures****EC 1272/2008**

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Phosphoric acid...% (Phosphoric acid)	015-011-00-6	7664-38-2	231-633-2		1 - 10%	Skin Corr. 1B: H314;
Ethanol	603-002-00-5	64-17-5	200-578-6		1 - 10%	Flam. Liq. 2: H225;

Further information

The exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4: First aid measures**4.1. Description of first aid measures**

Inhalation	In case of accident by inhalation: remove casualty to fresh air and keep at rest.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.
Eye contact	Causes severe burns. Risk of serious damage to eyes.
Skin contact	Causes severe burns.
Ingestion	Ingestion may cause nausea and vomiting. May cause irritation to mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Seek medical attention if irritation or symptoms persist.
Eye contact	Seek medical attention.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	If you feel unwell, seek medical advice (show the label where possible).

SECTION 5: Firefighting measures**5.1. Extinguishing media**

Use extinguishing media appropriate to the surrounding fire conditions.

5.2. Special hazards arising from the substance or mixture

Heat will increase pressure in sealed containers. Cool fire exposed containers with waterspray. Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Wear suitable respiratory equipment when necessary.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Avoid contact with skin and eyes. Wear suitable protective clothing and eye/face protection. Wear suitable respiratory equipment when necessary. Wash hands after handling the product. Ensure

AccuClean® Advanced

Revision 0
Revision date 2017-10-23

6.1. Personal precautions, protective equipment and emergency procedures

adequate ventilation of the working area.

6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal.

6.4. Reference to other sections

See section 2, 8 & 13 for further information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with eyes and skin. Wear suitable protective clothing and eye/face protection. Ensure adequate ventilation of the working area.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. Keep in a cool, dry, well ventilated area. Store in correctly labelled containers. Store at temperatures between 20 °C and 25 °C.

7.3. Specific end use(s)

See section 1.2 for further information.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure controls.

Exposure Limit Values

Ethanol	ACGIH TLV TWA: 1000 ppm Notations: A4 OSHA PEL 8hr TWA mg m3: 1900 NIOSH REL 10hr TWA ppm: NIOSH REL 15 min ST ppm:	ACGIH TLV STEL: - OSHA PEL 8hr TWA ppm: 1000 Skin Designation: - NIOSH REL 10hr TWA mg m3: NIOSH REL 15 min ST mg m3:
Phosphoric acid...% (Phosphoric acid)	ACGIH TLV TWA: 1 mg/m ³ Notations: - OSHA PEL 8hr TWA mg m3: 1 NIOSH REL 10hr TWA ppm: NIOSH REL 15 min ST ppm:	ACGIH TLV STEL: 3 mg/m ³ OSHA PEL 8hr TWA ppm: - Skin Designation: - NIOSH REL 10hr TWA mg m3: NIOSH REL 15 min ST mg m3:

8.2. Exposure controls



Appropriate engineering controls

Ensure adequate ventilation of the working area.

Individual protection measures

Wear suitable protective clothing.

AccuClean® Advanced

Revision 0
Revision date 2017-10-23

8.2. Exposure controls

Eye / face protection	Wear: Approved safety goggles.
Skin protection - Hand protection	Wear: Chemical resistant gloves.
Skin protection - Other	Wear suitable protective clothing.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Occupational exposure controls	Keep away from food, drink and animal feed and/ or feed products.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State	Liquid
Color	Green/Grey
Odor	Odorless
Odour threshold	No data available
pH	0.7
Melting point	0 °C
Freezing Point	0 °C
Boiling point	100 °C
Flash point	61 °C
Evaporation rate	No data available
Flammability limits	Not applicable.
Vapor pressure	No data available
Vapor density	No data available
Relative density	1 (H ₂ O = 1 @ 20 °C)
Fat Solubility	No data available
Partition coefficient	No data available
Autoignition temperature	≈ 425 °C
Viscosity	No data available
Explosive properties	No data available
Oxidising properties	Not applicable.
Solubility	Soluble in water

9.2. Other information

Benzene Content	Not applicable.
Lead content	Not applicable.
VOC (Volatile organic compounds)	47.5 g/l
Conductivity	No data available
Surface tension	No data available
Gas group	No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

	No data available.
--	--------------------

10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

AccuClean® Advanced

Revision 0
Revision date 2017-10-23

10.3. Possibility of hazardous reactions

	No data available.
--	--------------------

10.4. Conditions to avoid

	Heat, sparks and open flames. Heat will increase pressure in sealed containers.
--	---

10.5. Incompatible materials

	Alkalis. Oxidizing agents.
--	----------------------------

10.6. Hazardous decomposition products

	Burning produces irritating, toxic and obnoxious fumes.
--	---

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	No data available.
Skin corrosion/irritation	Causes severe burns.
Serious eye damage/irritation	Causes serious eye damage.
Respiratory or skin sensitisation	No data available.
Germ cell mutagenicity	No data available.
Carcinogenicity	Not listed in the National Toxicology Program (NTP) 13th Report on Carcinogens. Not listed in the OSHA standard 1910.1003 Carcinogens.
Reproductive toxicity	No data available.
STOT-single exposure	No data available.
STOT-repeated exposure	No data available.
Aspiration hazard	No data available.
Repeated or prolonged exposure	Avoid prolonged or repeated exposure.

11.1.4. Toxicological information

Ethanol	Oral Rat LD50: 10470 mg/kg Dermal Rabbit LD50: 15800 mg/kg	Oral Mouse LD50: 3450 mg/kg Inhalation Rat LC50/4 h: 30000 mg/kg
Phosphoric acid...%	Oral Rat LD50: 1530 mg/kg Inhalation Rat LC50/4 h: 212.5 mg/kg	Dermal Rabbit LD50: 2740 mg/kg

SECTION 12: Ecological information

12.1. Toxicity

Ethanol	Algae EC50/72h: 275 mg/l Fathead minnows LC50/96h: 14200 mg/l	Daphnia LC50/48h: 5012 mg/l
---------	--	-----------------------------

12.2. Persistence and degradability

	No data available.
--	--------------------

12.3. Bioaccumulative potential

	No data available.
--	--------------------

Partition coefficient

	AccuClean® Advanced No data available	Ethanol -0.349 log P
--	---------------------------------------	----------------------

AccuClean® Advanced

Revision 0
Revision date 2017-10-23

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of in compliance with all local and national regulations.

Disposal methods

Contact a licensed waste disposal company.

Disposal of packaging

Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.

SECTION 14: Transport information

Hazard pictograms



14.1. UN number

UN3264

14.2. UN proper shipping name

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Phosphoric acid mixture)

14.3. Transport hazard class(es)

DOT	8
Subsidiary risk	-
IMDG	8
Subsidiary risk	-
IATA	8
Subsidiary risk	-

14.4. Packing group

Packing group I

14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

14.6. Special precautions for user

No data available.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

AccuClean® Advanced

Revision 0
Revision date 2017-10-23

DOT	
Hazard ID	88
Tunnel Category	(E)

IMDG	
EmS Code	F-A S-B

IATA	
Packing Instruction (Cargo)	854
Maximum quantity	2.5 L
Packing Instruction (Passenger)	850
Maximum quantity	0.5 L

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulations	<p>Hazard Communication Standard: 29 Code of Federal Regulations 1910.1200: Occupational Safety and Health Standards: Z: Toxic and Hazardous Substances: Hazard Communication.</p> <p>All chemicals in this product are TSCA listed or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory. TSCA - United States Toxic Substances Control Act Section 8(b) Inventory.</p> <p>US State Regulations: New Jersey Right-to-Know Hazardous Substance List: This material contains no reportable components.</p> <p>Pennsylvania Right-to-Know Hazardous Substance List: Phosphoric acid: Y, Ethanol: Y.</p>
--------------------	--

15.2. Chemical safety assessment

	No data is available on this product.
--	---------------------------------------

Inventories

Ingredient	TSCA	MA	SARA313	CALPROP65	CWA307	CAA112	CWA311	SARA302	SARA304
Phosphoric acid...% (Phosphoric acid)	Y	Y	N	N	N	N	Y	N	N
Ethanol	Y	Y	N	N	N	N	N	N	N

SECTION 16: Other information**Other information**

Text of Hazard Statements in Section 3	<p>Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.</p> <p>Skin Irrit. 2: H315 - Causes skin irritation.</p> <p>Eye Irrit. 2: H319 - Causes serious eye irritation.</p> <p>Flam. Liq. 2: H225 - Highly flammable liquid and vapour.</p>
Maximum content of VOC	47.5 g/l.

Further information

	<p>DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to</p>
--	---

AccuClean® Advanced

Revision 0
Revision date 2017-10-23

Further information

use.

Except as expressly stated herein, NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, COURSE OF PERFORMANCE, USAGE OF TRADE, OR RESULTS TO BE OBTAINED BY USE OF THIS PRODUCT are made with respect to this product or use of this product. The product covered is furnished "as is" and only subject to the warranties herein provided, no liability is assumed resulting from the use of this product.
